

**Table 4G**  
**2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Racial and Ethnic Distribution by Metro Area**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 9 / 21 / 05

<b>Comparison of Racial and Ethnic Distribution by Metro Area</b>							
<b>Metro Area</b>	Number Included in Analysis (3)	White, Not Hispanic %	Black, Not Hispanic %	Hispanic %	American Indian/Alaskan Native %	Asian/Pacific Islander %	All Other / Unknown %
Lou/Jeff	1,486	11.3	74.4	11.1	0.2	3.0	0.0
Metro-Unk	133,613	83.0	11.2	4.6	0.2	1.0	0.0
Unknown Metro Areas	998	92.4	5.1	2.0	0.0	0.5	0.0
<b>Kentucky</b>	<b>136,097</b>	<b>82.3</b>	<b>11.9</b>	<b>4.6</b>	<b>0.2</b>	<b>1.0</b>	<b>0.0</b>
<b>Nation (Prior Year)</b>	<b>5,091,536</b>	<b>38.8</b>	<b>20.4</b>	<b>32.2</b>	<b>1.3</b>	<b>3.6</b>	<b>3.7</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with errors.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 5G  
**2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Age Distribution by Metro Area**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 9 / 21 / 05

<b>Comparison of Age Distribution by Metro Area</b>				
<b>Metro Area</b>	Number Included in Analysis (3,4)	0 - 11 Months  %	12 - 23 Months  %	24 - 59 Months  %
Lou/Jeff	1,486	36.7	23.3	40.0
Metro-Unk	133,613	34.1	24.2	41.7
Unknown Metro Areas	998	100.0	0.0	0.0
<b>Kentucky</b>	<b>136,097</b>	<b>34.6</b>	<b>24.0</b>	<b>41.4</b>
<b>Nation (Prior Year)</b>	<b>5,091,536</b>	<b>36.5</b>	<b>21.5</b>	<b>41.9</b>

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Records rejected if date of birth and date of visit unknown.

\* Percentages are not calculated if < 100 records are available for analysis after exclusions.

**Table 6G**  
**2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Metro Area**  
**Children Aged < 5 Years** (2)

Page: 1  
Run Date: 9 / 21 / 05

Comparison of Growth and Anemia Indicators by Metro Area (3,4)													
Metro Area	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)		
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)					
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% >95th (Rank)	Number	% 85th- (Rank)	% <95th (Rank)	% >95th (Rank)	Number	% (Rank)
Lou/Jeff	461	13.4 (3)	3.9 (1)	1,407	9.2 (3)	4.1 (1)	14.9 (2)	572	18.2 (2)	16.1 (1)		1,001	9.4 (1)
Metro-Unk	38,850	9.7 (2)	6.8 (3)	127,885	7.8 (2)	4.4 (2)	17.4 (3)	54,210	18.1 (1)	17.7 (2)		84,008	11.8 (2)
Unknown Metro Areas	997	8.8 (1)	6.3 (2)	873	0.7 (1)	9.7 (3)	3.2 (1)	0	* *	* *		0	* *
Kentucky	40,308	9.7	6.8	130,165	7.7	4.4	17.2	54,782	18.1	17.6		85,009	11.8
Nation (Prior Year)	1,172,866	9.1	7.3	4,838,257	6.2	5.2	13.6	2,044,705	15.7	14.7		3,118,041	12.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7G**  
**2004 Pediatric Nutrition Surveillance** (1)  
**Kentucky**

Page: 1  
Run Date: 9 / 21 / 05

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area** (2)  
**Children Aged < 5 Years** (3)

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (4,5)						
Metro Area	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Lou/Jeff	461	20.4 (2)	125	7.2 (1)	233	6.4 (1)
Metro-Unk	39,203	18.4 (3)	12,580	5.7 (2)	22,217	3.6 (2)
Unknown Metro Areas	998	24.8 (1)	0	* *	0	* *
Kentucky	40,662	18.5	12,705	5.8	22,450	3.6
Nation (Prior Year)	928,626	53.2	490,960	21.5	504,421	13.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 6G**  
**2002 - 2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**  
**Comparison of Growth and Anemia Indicators by Metro Area**  
**Children Aged < 5 Years** <sup>(2)</sup>

Page: 1  
Run Date: 9 / 21 / 05

Comparison of Growth and Anemia Indicators by Metro Area (3,4)												
Metro Area	Birthweight (5)			Height and Weight							Anemia Low Hb/Hct (8)	
	Low		High	Short Stature (6)		Under- weight (7)	Over- weight (7)	≥ 2 Yrs Over- weight (7)				
	Number	% <2500 g (Rank)	% >4000 g (Rank)	Number	% <5th (Rank)	% <5th (Rank)	% ≥95th (Rank)	Number	% 85th- <95th (Rank)	% ≥95th (Rank)	Number	% (Rank)
Lou/Jeff	1,208	15.4 (3)	4.7 (1)	4,229	10.6 (3)	4.4 (2)	15.1 (2)	1,934	19.8 (2)	15.5 (1)	3,109	9.0 (1)
Metro-Unk	94,951	9.7 (2)	7.3 (3)	359,782	7.6 (2)	4.3 (1)	17.4 (3)	164,025	17.9 (1)	17.3 (2)	240,130	11.6 (2)
Unknown Metro Areas	3,339	8.3 (1)	7.0 (2)	3,071	0.7 (1)	9.0 (3)	3.8 (1)	92	* *	* *	118	15.3 (3)
Kentucky	99,498	9.7	7.2	367,082	7.6	4.3	17.2	166,051	17.9	17.2	243,357	11.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(5) Infants born during the reporting period included in the analysis.

(6) Based on 2000 CDC growth chart percentiles for length-for-age for children under 2 years of age and height-for-age for children 2 years of age and older.

(7) Based on 2000 CDC growth chart percentiles for weight-for-length for children under 2 years of age and BMI-for-age for children 2 years of age and older. 85th - < 95th percentile category identifies children at risk of overweight.

(8) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.

**Table 7G**  
**2002 - 2004 Pediatric Nutrition Surveillance** <sup>(1)</sup>  
**Kentucky**

Page: 1  
Run Date: 9 / 21 / 05

**Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area** <sup>(2)</sup>  
**Children Aged < 5 Years** <sup>(3)</sup>

Comparison of Breastfeeding, TV Viewing, and Smoking in Household by Metro Area (4,5)						
Metro Area	Breastfeeding (6)					
	Number	% Ever Breastfed (Rank)	Number	% Breastfed At Least 6 Months (Rank)	Number	% Breastfed At Least 12 Months (Rank)
Lou/Jeff	1,953	18.9 (1)	919	7.7 (1)	913	4.6 (1)
Metro-Unk	163,932	17.4 (2)	86,377	5.9 (2)	87,757	3.6 (2)
Unknown Metro Areas	3,350	15.3 (3)	9	* *	19	* *
Kentucky	169,235	17.4	87,305	5.9	88,689	3.6

(1) Reporting period is January 1 through December 31.

(2) TV Viewing and Smoking in Household data are not reported by all contributors.

(3) Analyses based on one record per child.

(4) Excludes records with unknown data or errors.

(5) Rank compares this metro area's rate to other metro areas. Rank 1 = best rate.

(6) Infants born during the reporting period included in the Ever Breastfed analysis. Infants who turned 6 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 6 Months analysis. Children who turned 12 months of age during the reporting period by/on their date of visit included in the Breastfed At Least 12 Months analysis.

\* Percentages and ranks are not calculated if < 100 records are available for analysis after exclusions.